

Cervical and Shoulder Examination

Algorithm #1




Cervical Examination and Intervention

Algorithm #2




Active ROM Tests: 1) Elevation 90/90 or Neutral External Rotation 3) Hand Behind Back Passive ROM Tests: 1) Elevation with Over Pressure Isolated Glenohumeral External Rotation\ 3) Isolated Glenohumeral Internal Rotation Passive Accessory Motion Tests: 1) Posterior Humeral Translation Anterior Humeral Translation 3) Inferior Humeral Translation (sulcus sign) Acromioclavicular Accessory Movements Resisted Tests: 1) External Rotation Active Compression 2) Abduction 3) Flexion Test Palpatory Examination of Suspected Enthesopathy To Algorithm #3b



Associated Upper Quarter Impairment Examination

Algorithm #4



Selected References

- Aker PD, Gross AR, Goldsmith CH, Peloso P. Conservative management of mechanical neck pain: systematic overview and meta-analysis. *BMJ*. 1996;313:1291-6.
- Antonaci F, Ghirmai S, Bono G, Sandrini G, Nappi G. Cervicogenic headache: evaluation of the original diagnostic criteria. *Cephalalgia*. 2001;21:573-83
- Aprill C, Dwyer A, Bogduk N. Cervical zygapophyseal joint pain patterns. II: a clinical evaluation. Spine. 1990;15:458-61.
- Aspinall W. Clinical testing for the craniovertebral hypermobility syndrome. J Orthop Sports Phys Ther. 1990;12:47-54.
- Bang MD, Deyle GD. Comparison of supervised exercise with and without manual physical therapy for patients with shoulder impingement syndrome. *J Orthop Sports Phys Ther.* 2000;30:126-37.
- Bigliani LU, Kelkar R, Flatow EL, Pollock RG, Mow VC. Glenohumeral stability. biomechanical properties of passive and active stabilizers. *Clin Orthop Rel Res.* 1996;330:13-30.
- Bokor DJ, Hawkins RJ, Huckell GH, Angelo RL, Schickendantz MS. Results of nonoperative management of full-thickness tears of the rotator cuff. *Clin Orthop Rel Res.* 1993;294:103-10.
- Bronfort G, Evans R, Nelson B, Aker PD, Goldsmith CH, Vernon H. A randomized clinical trial of exercise and spinal manipulation for patients with chronic neck pain. *Spine*. 2001;26:788-97.
- Bulgen DY, Binder AI, Hazleman BL, Dutton J, Roberts S. Frozen shoulder: prospective clinical study with an evaluation of three treatment regimens. *Ann Rheum Dis.* 1984;43:353-60.
- Burkehead WZ, Rockwood CA. Treatment of instability of the shoulder with an exercise program. J Bone Joint Surg. 1992;74A:890-6.
- Calis M, Akgun K, Birtane M, Karacan I, Tuzun F. Diagnostic values of clinical diagnostic tests in subacromial impingement syndrome. *Ann Rheum Dis.* 2000;59:44-7.
- Chesworth BM, MacDermid JC, Roth JH. Movement diagram and "end-feel" reliability when measuring passive lateral rotation of the shoulder in patients with shoulder pathology. *Phys Ther*. 1998;78:593-601.
- Coderre TJ, Katz J, Vaccarino AL, Melzack R. Contribution of central neuroplasticity to pathological pain: review of clinical and experimental evidence. *Pain.* 1993;52:259-85.
- Conroy DE, Hayes KW. The effect of joint mobilization as a component of comprehensive treatment for primary shoulder impingement syndrome. *J Orthop Sports Phys Ther.* 1998;28:3-14.
- Dall'Alba PT, Sterling MM, Treleaven JM, Edwards SL, Jull GA. Cervical range of motion discriminates between asymptomatic persons and those with whiplash. *Spine*. 2001;26:2090-4.
- Davidson RI, Dunn EJ, Metzmaker JN. The shoulder abduction test in the diagnosis of radicular pain in cervical extradural compressive monoradiculopathies. *Spine*. 1981;6:441-6.
- Di Fabio RP. Manipulation of the cervical spine: risks and benefits. *Physical Therapy*. 1999;79:50-65.
- Donatelli R, Greenfield B. Rehabilitation of a stiff and painful shoulder: a biomechanical approach. J Orthop Sports Phys Ther. 1987;9:118-26.
- Dreyfuss P, Michaelsen M, Fletcher D. Atlanto-occipital and lateral atlanto-axial joint pain patterns. Spine. 1994:1125-31.
- Dreyfuss P, Tibiletti C, Dreyer SJ. Thoracic zygapophyseal joint pain patterns. a study in normal volunteers. Spine. 1994;19:807-11.
- Dwyer A, Aprill C, Bogduk N. Cervical zygapophyseal joint pain patterns. I: a study in normal volunteers. Spine. 1990;15:453-7.
- Farmer JC, Wisneski RJ. Cervical spine nerve root compression. an analysis of neuroforaminal pressures with varying head and arm positions. *Spine*. 1994;19:1850-5.
- Feinstein B, Langton JNK, Jameson RM, Schiller F. Experiments on pain referred from deep structures. J Bone Joint Surg. 1954;36A:981-97.
- Fukui S, Ohseto K, Shiotani M, Ohno K, Karasawa H, Naganuma Y, Yuda Y. Referred pain distribution of the cervical zygapophyseal joints and cervical dorsal rami. *Pain*. 1996;68:79-83.
- Fukui S, Ohseto K, Shiotani M. Patterns of pain induced by distending the thoracic zygapophyseal joints. Regional Anesthesia. 1997;22:332-6.
- Gifford LS, Butler DS. The integration of pain sciences into clinical practice. J Hand Therapy. 1997;10:86-95.
- Glousman RE. Instability versus impingement syndrome in the throwing athlete. Orthop Clin North Am. 1993;24:89-99.
- Godges JJ, Matson-Bell M, Shah D, Thorpe D. The immediate effects of soft tissue mobilization with PNF on shoulder external rotation and overhead reach. *J Ortho Sports Phys Ther.* 2003;33:713-718.

- Grad A, Baloh RW. Vertigo of vascular origin. clinical and electronystagmographic features in 84 cases. Arch Neurology. 1989;46:281-4.
- Green S, Buchbinder R, Glazier R, Forbes A. Systematic review of randomised controlled trials of interventions for painful shoulder: selection criteria, outcome assessment, and efficacy. *BMJ*. 1998;316:354-60.
- Haldeman S, Kohlbeck FJ, McGregor M. Risk factors and precipitating neck movements causing vertebrobasilar artery dissection after cervical trauma and spinal manipulation. *Spine*. 1999;24:785-94.
- Hanson JA, Blackmore CC, Mann FA, Wilson AJ. Cervical spine injury: a clinical decision rule to identify high-risk patients for helical CT screening. AJR. 2000;174:713-7.
- Hawkins RJ, Abrams JS. Impingement syndrome in the absence of rotator cuff tear (stages 1 and 2). Orthop Clin North Am. 1987;18:373-82.
- Hawkins RJ, Kennedy JC. Impingement syndrome in athletes. Am J Sports Med. 1980;8:151-8.
- Heald SL, Riddle DL, Lamb RL. The shoulder pain and disability index: the construct validity and responsiveness of a region-specific disability measure. *Phys Ther.* 1997;77:1079-89.
- Hoffman JR, Mower WR, Wolfson AB, Todd KH, Zucker MI. Validity of a set of clinical criteria to rule out injury to the cervical spine in patients with blunt trauma. National Emergency X-Radiography Utilization Study Group. [erratum appears in *N Engl J Med* 2001;344:464]. *N Engl J Medicine*. 2000;343:94-9.
- Hoving JL, Gross AR, Gasner D, Kay T, Kennedy C, Hondras MA, Haines T, Bouter LM. A critical appraisal of review articles on the effectiveness of conservative treatment for neck pain. *Spine*. 2001;26:196-205.
- Hurwitz EL, Aker PD, Adams AH, Meeker WC, Shekelle PG, Barr JS. Manipulation and mobilization of the cervical spine: a systematic review of the literature. *Spine*. 1996;21:1746-60.
- Ide M, Ide J, Yamaga M, Takagi K. Symptoms and signs of irritation of the brachial plexus in whiplash injuries. J Bone Joint Surg. 2001;83:226-9.
- Johnson EG, Godges JJ, Lohman EB, Stephens JA, Zimmerman GJ. Disability self-assessment and upper quarter muscle balance between female dental hygienists and non-dental hygienists. *J Dent Hyg.* 2003;77:217-23.
- Jordan A, Bendix T, Nielsen H, Hansen FR, Host D, Winkel A. Intensive training, physiotherapy, or manipulation for patients with chronic neck pain. a prospective, single-blinded, randomized clinical trial. *Spine*. 1998;23:311-8
- Jull G, Trott P, Potter H, Zito G, Niere K, Shirley D, Emberson J, Marschner I, Richardson C. A randomized controlled trial of exercise and manipulative therapy for cervicogenic headache. Spine. 2002;27:1835-43.
- Kasch H, Stengaard-Pedersen, Arendt-Nielsen L, Staehelin Jensen T. Headache, neck pain, and neck mobility after acute whiplash injury: a prospective study. *Spine*. 2001;26:1246-51.
- Katayama Y, Fukaya C, Yamamoto T. Poststroke pain control by chronic motor cortex stimulation: neurological characteristics predicting a favorable response. *J Neurosurgery*. 1998;89:585-91.
- Keating L, Lubke C, Powell V, Young T, Souvlis T, Jull G. Mid-thoracic tenderness: a comparison of pressure pain threshold between spinal regions, in asymptomatic subjects. *Manual Therapy*. 2001;6:34-9.
- Kellgren JH. Observation on referred pain arising from muscle. Clin Sci. 1938;3:175-190.
- Kellgren JH. On the distribution of pain arising from deep somatic structures with charts of segmental pain areas. Clin Sci. 1939;4:35-46.
- Kopell H, Thompson W. Peripheral Entrapment Neuropathies. Florida, Robert I. Krieger Pub. Co., 1976, pp. 146-153,156,167.
- Larson E, Bjerg-Nielsen A, Christensen P. Conservative or surgical treatment of acromioclavicular dislocation. J Bone Joint Surg. 1986;68A:552-5.
- Levy AS, Lintner S, Kenter K, Speer KP. Intra- and interobserver reproducibility of the shoulder laxity examination. *Am J Sports Med*. 1999;27:460-3. Lorei M, Hershman E. Peripheral nerve injuries in athletes. *Sports Medicine*. 1993;16:130-147.
- MacDonald PB, Clark P, Sutherland K. An analysis of the diagnostic accuracy of the Hawkins and Neer subacromial impingement signs. *J Shoulder Elbow Surg*. 2000;9:299-301.
- Mahadevan S, Mower WR, Hoffman JR, Peeples N, Goldberg W, Sonner R. Interrater reliability of cervical spine injury criteria in patients with blunt trauma. *Ann Emerg Med.* 1998;31:197-201.
- McFarland EG, Campbell G, McDowell J. Posterior shoulder laxity in asymptomatic athletes. Am J Sports Med. 1996;24:468-71.
- McFarland EG, Kim TK, Savino RM. Clinical assessment of three common tests for superior labral anterior-posterior lesions. *Am J Sports Med*. 2002;30:810-5.

- Moseley JB, Jobe FW, Pink M, Perry J, Tibone J. EMG analysis of the scapular muscles during a shoulder rehabilitation program. *Am J Sports Med.* 1992;20:128-34.
- Muhle C, Bischoff L, Weinert D, Lindner V, Falliner A, Maier C, Ahn JM, Heller M, Resnick D. Exacerbated pain in cervical radiculopathy at axial rotation, flexion, extension, and coupled motions of the cervical spine: evaluation by kinematic magnetic resonance imaging. *Investigative Radiology*. 1998;33:279-88.
- Muhle C, Resnick D, Ahn JM, Sudmeyer M, Heller M. In vivo changes in the neuroforaminal size at flexion-extension and axial rotation of the cervical spine in healthy persons examined using kinematic magnetic resonance imaging. *Spine*. 2001;26:E287-93.
- O'Brien SJ, Pagnani MJ, Fealy S, McGlynn SR, Wilson JB. The active compression test: a new and effective test for diagnosing labral tears and acromioclavicular joint abnormality. *Am J Sports Med.* 1998;26:610-3.
- Panjabi MM. The stabilizing system of the spine. Part I. function, dysfunction, adaptation, and enhancement. J Spinal Disorders. 1992;5:383-9.
- Panjabi MM. The stabilizing system of the spine. Part II. neutral zone and instability hypothesis. J Spinal Disorders. 1992;5:390-7.
- Panjabi MM, Lydon C, Vasavada A, Grob D, Crisco JJ, Dvorak J. On the understanding of clinical instability. Spine. 1994;19:2642-50.
- Peeters GG, Verhagen AP, de Bie RA, Oostendorp RA. The efficacy of conservative treatment in patients with whiplash injury: a systematic review of clinical trials. *Spine*. 2001;26:E64-73.
- Petersen CM, Hayes KW. Construct validity of Cyriax's selective tension examination: association of end-feels with pain at the knee and shoulder. *J Orthop Sports Phys Ther*. 2000;30:512-21; discussion 522-7.
- Pevny T, Hunter RE, Freeman JR. Primary traumatic anterior shoulder dislocation in patients 40 years of age and older. *Arthroscopy.* 1998;14:289-94. Philadelphia Panel. Philadelphia Panel evidence-based clinical practice guidelines on selected rehabilitation interventions for neck pain. *Phys Ther.* 2001;81:1701-17.
- Philadelphia Panel. Philadelphia Panel evidence-based clinical practice guidelines on selected rehabilitation interventions for shoulder pain. *Phys Ther*. 2001;81:1719-30.
- Pho C, Godges JJ. Management of whiplash-associated disorders addressing thoracic spine impairments: a case report. *J Ortho Sports Phys Ther*. 2004;34:511-523.
- Pope DP, Croft PR, Pritchard CM, Macfarlane GJ, Silman AJ. The frequency of restricted range of movement in individuals with self-reported shoulder pain: results from a population-based survey. *British Journal of Rheumatology*. 1996;35:1137-41.
- Rheault W, Albright B, Byers C. Intertester reliability of the cervical range of motion device. J Orthop Sports Phys Ther. 1992;15:147-150.
- Richards RR, An KN, Bigliani LU, Friedman RJ, Gartsman GM, Gristina, AG, Iannotti JP, Mow VC, Sidles JA, Zuckerman JD. A standardized method for the assessment of shoulder function. *J Shoulder and Elbow Surg*, 1994;3:347-52.
- Riddle DL, Stratford PW. Use of generic versus region-specific functional status measures on patients with cervical spine disorders. *Phys Ther*. 1998;78:951-63.
- Robinson CM, Kelly M, Wakefield AE. Redislocation of the shoulder during the first six weeks after a primary anterior dislocation: risk factors and results of treatment. *J Bone Joint Surg*. 2002;84-A:1552-9.
- Rowe CR. Recurrent anterior transient subluxation of the shoulder. the "dead arm" syndrome. Orthop Clin North Am. 1988;19:767-72.
- Sarhadi NS, Korday SN, Bainbridge LC. Radial tunnel syndrome: diagnosis and management. J Hand Surgery British Volume. 1998;23:617-9.
- Schmitt L, Snyder-Mackler L, Role of scapular stabilizers in etiology and treatment of impingement syndrome. J Ortho Sports Phys Ther. 1999;29:31-8.
- Schoensee SK. Jensen G. Nicholson G. Gossman M. Katholi C. The effect of mobilization on cervical headaches. *J Ortho Sports Phys Ther*. 1995;21:184-96.
- Sonnabend DH. Treatment of primary anterior shoulder dislocation in patients older than 40 years of age. conservative versus operative. *Clin Orthopaedics Rel Res.* 1994;304:74-7.
- Speer KP, Hannafin JA, Altchek D, Warren RF. An evaluation of the shoulder relocation test. Am J Sports Med. 1994;22:177-83.
- Spitzer WO, Skovron ML, Salmi LR, Cassidy JD, Duranceau J, Suissa S, Zeiss E. Scientific monograph of the Quebec Task Force on Whiplash-Associated Disorders: redefining "whiplash" and its management.[erratum appears in *Spine* 1995 Nov 1;20:2372]. *Spine*. 1995;20(8 Suppl):1S-73S.
- Steiner WA, Ryser L, Huber E, Uebelhart D, Aeschlimann A, Stucki G. Use of the ICF model as a clinical problem-solving tool in physical therapy and rehabilitation medicine. *Phys Ther*. 2002;82:1098-107.

- Sterling M, Jull G, Vicenzino B, Kenardy J. Sensory hypersensitivity occurs soon after whiplash injury and is associated with poor recovery. *Pain*. 2003;104:509-17.
- Sterling M, Jull G, Carlsson Y, Crommert L. Are cervical physical outcome measures influenced by the presence of symptomatology? *Physiotherapy Research International*. 2002;7:113-21.
- Tanaka N, Fujimoto Y, An HS, Ikuta Y, Yasuda M. The anatomic relation among the nerve roots, intervertebral foramina, and intervertebral discs of the cervical spine. *Spine*. 2000;25:286-91.
- Taylor DC, Arciero RA. Pathologic changes associated with shoulder dislocations. arthroscopic and physical examination findings in first-time, traumatic anterior dislocations. *Am J Sports Med.* 1997;25:306-11.
- Thomas D, Williams RA, Smith DS. The frozen shoulder: a review of manipulative treatment. Rheumat Rehabil. 1980;19:173-9.
- Tibone JE, Fechter J, Kao JT. Evaluation of a proprioception pathway in patients with stable and unstable shoulders with somatosensory cortical evoked potentials. *J Shoulder Elbow Surg*. 1997;6:440-3.
- Uitvlugt G, Indenbaum S. Clinical assessment of atlantoaxial instability using the Sharp-Purser test. *Arthritis Rheumatism.* 1988;31:918-22.
- Upton AR, McComas AJ. The double crush in nerve entrapment syndromes. Lancet. 1973;2:359-62.
- van der Heide B, Allison GT, Zusman M. Pain and muscular responses to a neural tissue provocation test in the upper limb. *Manual Therapy*. 2001;6:154-62.
- van der Heijden GJ, Van der Windt DA, De Winter AF. Physiotherapy for patients with soft tissue shoulder disorders: a systematic review of randomized clinical trials. *BMJ*. 1997;31:25-30.
- van der Windt DA, Koes BW, Boeke AJ, Deville W, De Jong BA, Bouter LM. Shoulder disorders in general practice: prognostic indicators of outcome. *British Journal of General Practice*. 1996;46:519-23.
- van der Windt DA, Koes BW, de Jong BA, Bouter LM. Shoulder disorders in general practice: incidence, patient characteristics, and management. *Ann Rheum Dis.* 1995;54:959-64.
- van der Windt DA, Koes BW, Deville W, et al. Effectiveness of corticosteroid injections versus physiotherapy for treatment of painful stiff shoulder in primary care: randomised trial. *BMJ*. 1998;317:1292-6.
- Vermeulen HM, Oberman WR, Burger BJ, Kok GJ, Rozing PM. End-range mobilization techniques in adhesive capsulitis of the shoulder joint: a multiple-subject case report. *Phys Ther*. 2000;80:1204-1213.
- Vicenzino B, Neal R, Collins D, Wright A. The displacement, velocity and frequency profile of the frontal plane motion produced by the cervical lateral glide treatment technique. *Clinical Biomechanics*. 1999;14:515-21.
- Wainner RS, Fritz JM, Irrgang JJ, Boninger ML, Delitto A, Allison S. Reliability and diagnostic accuracy of the clinical examination and patient self-report measures for cervical radiculopathy. *Spine*. 2003;28:52-62.
- Warner JJ, Micheli LJ, Arslanian LE, Kennedy J, Kennedy R. Patterns of flexibility, laxity, and strength in normal shoulders and shoulders with instability and impingement. *Am J Sports Med.* 1990;18:366-75.
- Warner JJ, Micheli LJ, Arslanian LE, Kennedy J, Kennedy R. Scapulothoracic motion in normal shoulders and shoulders with glenohumeral instability and impingement syndrome. a study using Moire topographic analysis. *Clin Orthop Rel Res.* 1992;285:191-9.
- Williams JW, Holleman DR, Simel DL. Measuring shoulder function with the Shoulder Pain and Disability Index. J Rheumatology. 1995;22:727-32.
- Wrisley DM, Sparto PJ, Whitney SL, Furman JM. Cervicogenic dizziness: a review of diagnosis and treatment. *J Ortho Sports Phys Ther*. 2000;30:755-66.
- Yamaguchi K, Sher JS, Andersen WK, Garretson R, Uribe JW, Hechtman K, Neviaser RJ. Glenohumeral motion in patients with rotator cuff tears: a comparison of asymptomatic and symptomatic shoulders. *J Shoulder Elbow Surg*. 2000;9:6-11.
- Yoo JU, Zou D, Edwards WT, Bayley J, Yuan HA. Effect of cervical spine motion on the neuroforaminal dimensions of human cervical spine. *Spine*. 1992;17:1131-6.
- Youdas JW, Carey JR, Garrett TR, Reliability of measurements of cervical spine range of motion-comparison of three methods. *Phys Ther.* 1991;71:98-106.